



PASSENGER &
LIGHT TRUCK TIRE
CATALOG

REV 22.01

ROVELO 
TIRE

PASSENGER & LIGHT TRUCK TIRE CATALOG

HP / UHP / SUV / LT / 4S / WINTER TIRE



TIRE
MAINTENANCE
AND SAFETY

Tire maintenance can help to improve the performance and extend the life of your tires. More importantly, taking just a few minutes a month to inspect your tires can help you to avoid tire failures. Some of the key aspects of preventative maintenance include:

1. Inflation Pressure - It's important to maintain the correct inflation pressure in your tires as under-inflation or over-inflation may lead to a tire failure. The correct inflation pressure of your tires is specified by the vehicle manufacturer and is typically shown on the vehicle door ledge or in the owner's manual.
Tires may lose air over time due to the permeability of rubber so it is important to check your tire pressure regularly, at least once a month including the spare. Ensure to check the pressure when the tires are cold (i.e. have not been driven on).

2. Loading - Do not overload your vehicle. Overloading creates excessive stress leading to heat generation and can eventually lead to a tire failure. Please check the tire placard or vehicle owner's manual for the maximum recommended load for your vehicle.

SPEED RATING

The speed symbol indicates the maximum speed rating at which a tire can carry a load corresponding to its Load Index under specific service conditions.

** For tires with speed symbols W and Y, "ZR" may or may not appear within the size designation. For tires with a maximum speed above 186 MPH, a "ZR" must appear in the size designation.

Examples of similar size markings, with and without service descriptions, and showing different maximum speeds are shown.

Speed Rating	Max. Speed	Speed Rating	Max. Speed
F	80 km/h	R	170 km/h
G	90 km/h	S	180 km/h
J	100 km/h	T	190 km/h
K	110 km/h	U	200 km/h
L	120 km/h	H	210 km/h
M	130 km/h	V	240 km/h
N	140 km/h	W	270 km/h
P	150 km/h	Y	300 km/h
Q	160 km/h	ZR	>240 km/h

TABLE OF
CONTENTS

HIGH PERFORMANCE TIRE

RHP-A68	03
RHP-780	07
RHP-780P	09
RHP-778	11

ULTRA HIGH PERFORMANCE TIRE

RPX-988	15
SPORT A1	19

COMMERCIAL TIRE

RCM-836	23
RCM-X+	25

ON/OFF ROAD LIGHT TRUCK & SUV TIRE

ROAD QUEST HT	27
MONTARE HT RV08	29
ROAD QUEST AT	31
RIDGETRAK AT	33
ROAD QUEST RMT810	35

FOUR SEASONS TIRE

ALL WEATHER R4S	37
-----------------	----

WINTER TIRE

RWS-677 Studdable Winter Tire	39
RWT-768 Studless Winter Tire	43

HIGH PERFORMANCE TIRE

ROVELO
TIRE

HIGH PERFORMANCE TIRE

RHP-A68



Asymmetrical Tread Pattern
Provides excellent cornering stability while maintaining superior wet traction.



Tread Sipes
Drastically improve braking in all weather conditions.



Reinforced Shoulder Ribs
Engineered for high-speed cornering while extending tread life.

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
12	155/70R12	73T	523	157	7.4	4.50B	460/A/B
13	155/65R13	73T	532	157	7.4	4.50B	460/A/B
	155/70R13	75T	548	157	7.4	4.50B	460/A/B
	165/60R13	73H	528	170	7.8	5.00B	420/A/A
	165/70R13	79T	562	170	7.8	5.00B	460/A/B
	175/70R13	82T	576	177	7.8	5.00B	460/A/B
	185/70R13	86T	590	189	8.0	5.50B	460/A/B
	165/55R14	72V	538	170	7.8	5J	420/A/A
	165/60R14	75H	554	170	7.8	5J	420/A/A
14	165/65R14	79T	570	170	7.8	5J	460/A/B
	165/70R14	81T	588	170	7.8	5J	460/A/B
	175/65R14	82H	584	177	7.8	5J	420/A/A
	175/70R14	84T	602	177	7.8	5J	460/A/B
	185/60R14	82H	578	189	8.0	5 1/2J	420/A/A
	185/65R14	86H	596	189	8.0	5 1/2J	420/A/A
	185/70R14	88H	616	189	8.0	5 1/2J	460/A/B
	195/65R14	89H	610	201	8.0	6J	420/A/A
	195/70R14	91H	630	201	8.0	6J	460/A/B
	205/70R14	95T	644	209	8.0	6J	460/A/B

HIGH PERFORMANCE TIRE

ROVELO
TIRE

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
15	165/50R15	72V	547	170	7.8	5J	420/A/A
	175/50R15	75V	557	182	7.8	5 1/2J	420/A/A
	185/55R15	82H	585	194	8.0	6J	420/A/A
	185/60R15	84H	603	189	8.0	5 1/2J	420/A/A
	185/65R15	88H	621	189	8.0	5 1/2J	420/A/A
	195/50R15	82H	577	201	8.0	6J	420/A/A
	195/55R15	85H	595	201	8.0	6J	420/A/A
	195/60R15	88V	615	201	8.0	6J	420/A/A
	195/65R15	91H	635	201	8.0	6J	420/A/A
	205/60R15	91V	627	209	8.0	6J	420/A/A
	205/65R15	94V	647	209	8.0	6J	420/A/A
	205/70R15	96T	669	209	8.0	6J	460/A/B
	215/70R15	98T	683	221	8.2	6 1/2J	460/A/B
	225/60R15	96H	651	228	8.2	6 1/2J	420/A/A

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
16	195/50R16	84V	602	201	8.0	6J	420/A/A
	195/55R16	87H	620	201	8.0	6J	420/A/A
	205/55R16	91V	632	214	8.0	6 1/2J	420/A/A
	205/60R16	96V	652	209	8.0	6J	420/A/A
	205/65R16	95H	672	209	8.0	6J	420/A/A
	215/60R16	99V	664	221	8.2	6 1/2J	420/A/A
	215/65R16	98T	686	221	8.2	6 1/2J	460/A/B
	225/60R16	98H	676	228	8.2	6 1/2J	420/A/A
17	215/50R17	95V	648	226	8.2	7J	420/A/A
	215/55R17	94V	668	226	8.2	7J	420/A/A
	215/60R17	96T	690	221	8.2	6 1/2J	460/A/B
	225/60R17	99T	702	228	8.2	6 1/2J	460/A/B
18	225/45ZR18	95W	659	225	8.2	7 1/2J	360/A/A

HIGH PERFORMANCE TIRE

ROVELO
TIRE



HIGH PERFORMANCE TIRE

RHP-780



Wet Performance
Four main grooves effectively drain water for improved traction on wet roads.



All-Season Performance
The tread design and compound evenly distribute ground pressure in all weather conditions to provide excellent driving performance.



Driving Comfort
Unique pattern design effectively reduces tire vibration and noise emissions for increased driving comfort.

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
13	155/65R13	73T	532	157	7.6	4.50B	360/A/A
	155/70R13	75T	548	157	7.3	4.50B	360/A/A
	155/80R13	79T	578	157	8.0	4.50B	360/A/A
	165/65R13	77T	544	170	7.6	5.00B	360/A/A
	165/70R13	79T	562	170	7.5	5.00B	360/A/A
	165/80R13	83T	594	165	8.0	4.50B	360/A/A
	175/70R13	82T	576	177	8.0	5.00B	360/A/A
14	165/60R14	75H	554	170	7.6	5J	360/A/A
	165/70R14	81T	588	170	7.5	5J	360/A/A
	175/65R14	82T	584	177	8.0	5J	360/A/A
	175/65R14	82H	584	177	8.0	5J	360/A/A
	175/65R14	86T	584	177	8.0	5J	360/A/A
	175/70R14	84T	602	177	8.0	5J	360/A/A
	185/70R14	88H	616	189	8.0	5 1/2J	360/A/A
	195/70R14	91T	630	201	8.4	6J	360/A/A
15	205/70R15	96T	669	209	8.5	6J	360/A/A
	215/60R16	95V	664	221	8.8	6 1/2J	360/A/A

HIGH PERFORMANCE TIRE

ROVELO
TIRE



HIGH PERFORMANCE TIRE

RHP-780P



Hydroplaning Resistance
Optimal four channel grooves maximize hydroplaning resistance to ensure efficient drainage and greater safety on wet roads.



Stability
The specialized bead design ensures closer contact between the inflated tire and rim to improve driving safety.



Handling
The center rib and enhanced tread block design increases grip and operating stability for greater maneuverability and braking performance. Wet and dry grip is improved due to the widened rubber-to-road contact area.

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
14	155/65R14	75T	558	157	7.0	4 1/2J	400/A/A
	165/65R14	79T	570	170	7.6	5J	400/A/A
	185/55R14	80V	560	194	8.0	6J	400/A/A
	185/60R14	82H	578	189	8.4	5 1/2J	400/A/A
	185/65R14	86H	596	189	8.0	5 1/2J	400/A/A
	195/65R14	89H	610	201	8.0	6J	400/A/A
15	175/65R15	88H	609	177	8.0	5J	400/A/A
	175/65R15	84H	609	177	8.0	5J	400/A/A
	175/65R15	84T	609	177	8.0	5J	400/A/A
	185/55R15	82V	585	194	8.0	6J	400/A/A
	185/55R15	82H	585	194	8.0	6J	400/A/A
	185/60R15	84H	603	189	8.0	5 1/2J	400/A/A
	185/60R15	88H	603	189	8.0	5 1/2J	400/A/A
	185/65R15	88H	621	189	8.0	5 1/2J	400/A/A
	185/65R15	88T	621	189	8.0	5 1/2J	400/A/A
	185/65R15	92T	621	189	8.0	5 1/2J	400/A/A
	195/50R15	82V	577	201	8.0	6J	400/A/A
	195/50R15	82H	577	201	8.0	6J	400/A/A
	195/55R15	85V	595	201	8.0	6J	400/A/A
	195/60R15	88V	615	201	8.4	6J	400/A/A
	195/60R15	88H	615	201	8.4	6J	400/A/A
	195/65R15	91H	635	201	8.0	6J	400/A/A
16	195/65R15	91V	635	201	8.0	6J	400/A/A
	195/65R15	95T	635	201	8.0	6J	400/A/A
	205/60R15	91V	627	209	8.5	6J	400/A/A
	205/60R15	91H	627	209	8.5	6J	400/A/A
	205/65R15	94V	647	209	8.5	6J	400/A/A
	195/50R16	88V	602	201	8.0	6J	400/A/A
	195/55R16	87V	620	201	8.0	6J	400/A/A
	205/55R16	91V	632	214	8.0	6 1/2J	400/A/A
	205/55R16	94V	632	214	8.0	6 1/2J	400/A/A
	205/55R16	91H	632	214	8.0	6 1/2J	400/A/A
	205/60R16	92V	652	209	8.2	6J	400/A/A
	205/60R16	92H	652	209	8.2	6J	400/A/A
	205/60R16	96V	652	209	8.2	6J	400/A/A
	215/65R16	98H	686	221	8.8	6 1/2J	400/A/A

HIGH PERFORMANCE TIRE



HIGH PERFORMANCE TIRE

RHP-778



Four Wide Circumferential Grooves:
Improved wet traction and water expulsion.



Variable Angle Sipes:
Designed to ensure a quiet, smooth ride.



Solid Centre Rib:
Reduces irregular wear and improves high speed stability.



Symmetrical Wide Shoulders:
Enhanced cornering and braking performance.

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
13	155/70R13	75T	548	157	7.8	4.50B	460/A/B
	165/65R13	77T	544	170	7.8	5.00B	460/A/B
	165/70R13	79T	562	170	7.8	5.00B	460/A/B
	175/70R13	82T	576	177	8.0	5.00B	460/A/B
	185/70R13	86T	590	189	8.0	5.50B	460/A/B
	205/60R13	86T	576	209	8.0	6.00B	460/A/B

HIGH PERFORMANCE TIRE

ROVELO
TIRE

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
14	165/60R14	75H	554	170	7.8	5J	420/A/A
	175/65R14	82H	584	177	8.0	5J	420/A/A
	175/65R14	86T	584	177	8.0	5J	420/A/A
	175/70R14	84T	602	177	8.0	5J	460/A/B
	175/80R14	88T	636	177	8.0	5J	460/A/B
	185/50R14	77V	542	194	8.0	6J	420/A/A
	185/60R14	82H	578	189	8.0	5 1/2J	420/A/A
	185/65R14	86H	596	189	8.0	5 1/2J	420/A/A
	185/70R14	88T	616	189	8.0	5 1/2J	460/A/B
	195/60R14	86H	590	201	8.2	6J	420/A/A
	195/70R14	91T	630	201	8.0	6J	420/A/A
	205/70R14	95T	644	209	8.0	6J	460/A/B
	215/60R14	91H	614	221	8.2	6 1/2J	420/A/A
	215/70R14	96T	658	221	8.2	6 1/2J	460/A/B
15	175/65R15	84H	609	177	8.0	5J	420/A/A
	185/55R15	82V	585	194	8.0	6J	420/A/A
	185/60R15	84H	603	189	8.0	5 1/2J	420/A/A
	185/65R15	88H	621	189	8.0	5 1/2J	420/A/A
	195/50R15	82V	577	201	8.0	6J	420/A/A
	195/55R15	85V	595	201	8.0	6J	420/A/A
	195/60R15	88H	615	201	8.0	6J	420/A/A
	195/65R15	91H	635	201	8.0	6J	420/A/A
	205/60R15	91H	627	209	8.2	6J	420/A/A
	205/65R15	94H	647	209	8.2	6J	420/A/A
	205/70R15	96T	669	209	8.2	6J	460/A/B
	215/60R15	94H	639	221	8.2	6 1/2J	420/A/A
	215/70R15	98T	683	221	8.2	6 1/2J	460/A/B

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
16	195/50R16	84V	602	201	8.0	6J	420/A/A
	195/55R16	87H	620	201	8.0	6J	420/A/A
	205/55R16	91V	632	214	8.2	6 1/2J	420/A/A
	205/55R16	91H	632	214	8.2	6 1/2J	420/A/A
	205/60R16	92V	652	209	8.2	6J	420/A/A
	205/60R16	92H	652	209	8.2	6J	420/A/A
	205/65R16	95H	672	209	8.2	6J	420/A/A
	215/55R16	97V	642	226	8.2	7J	420/A/A
	215/60R16	95V	664	221	8.2	6 1/2J	420/A/A
	215/65R16	98T	686	221	8.2	6 1/2J	460/A/B
	225/50R16	92V	632	233	8.2	7J	420/A/A
	225/60R16	98H	676	228	8.2	6 1/2J	420/A/A
	235/65R16	103T	712	240	8.2	7J	460/A/B
17	205/50R17	89V	638	214	8.2	6 1/2J	420/A/A
	215/50R17	95V	648	226	8.2	7J	420/A/A
	215/55R17	94V	668	226	8.2	7J	420/A/A
	215/60R17	96T	690	221	8.2	6 1/2J	460/A/B
	215/65R17	99T	712	221	8.2	6 1/2J	460/A/B
	225/50R17	94V	658	233	8.2	7J	420/A/A
	225/55R17	97T	680	233	8.2	7J	460/A/B
	225/60R17	99T	702	228	8.2	6 1/2J	460/A/B
	225/65R17	102T	724	228	8.2	6 1/2J	460/A/B
	235/55R17	99H	690	245	8.2	7 1/2J	420/A/A
18	225/45ZR18	95W	659	225	8.2	7 1/2J	380/AA/A
	235/50ZR18	97W	693	245	8.2	7 1/2J	380/AA/A
	245/45ZR18	100W	677	243	8.2	8J	380/AA/A

ULTRA HIGH PERFORMANCE TIRE

ROVELO
TIRE



ULTRA HIGH PERFORMANCE TIRE

RPX-988

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
15	195/45R15	78V	557	195	8.0	6 1/2J	340/A/A
	195/45R16	84V	582	195	8.0	6 1/2J	340/A/A
16	205/45R16	87Y	590	206	8.2	7J	340/A/A
	205/50ZR16	87W	612	214	8.2	6 1/2J	340/A/A
	205/55ZR16	91W	632	214	8.3	6 1/2J	340/A/A
	215/55ZR16	97W	642	226	8.2	7J	340/A/A
	225/55ZR16	99W	654	233	8.2	7J	340/A/A



Asymmetrical Tread Pattern
Provides excellent cornering stability while maintaining superior wet traction.



Multi-Dimensional Rib Sipes
Drastically improves braking in all weather conditions.



Reinforced Shoulder Ribs
Engineered for high-speed cornering while extending tread life.



Wavy Tread Sipes
Reduces vibrations for improved driving comfort.

ULTRA HIGH PERFORMANCE TIRE



	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
17	205/40ZR17	84Y	596	212	8.2	7 1/2J	340/A/A
	205/45ZR17	88Y	616	206	8.2	7J	340/A/A
	205/50ZR17	93W	638	214	8.2	6 1/2J	340/A/A
	215/40ZR17	87W	604	218	8.0	7 1/2J	340/A/A
	215/40ZR17	87Y	604	218	8.0	7 1/2J	340/A/A
	215/45ZR17	91W	626	213	8.0	7J	340/A/A
	215/45ZR17	91Y	626	213	8.0	7J	340/A/A
	215/50ZR17	95W	648	226	8.2	7J	340/A/A
	215/55ZR17	98W	668	226	8.2	7J	340/A/A
	225/45ZR17	94W	634	225	8.2	7 1/2J	340/A/A
	225/45ZR17	94Y	634	225	8.2	7 1/2J	340/A/A
	225/50ZR17	98W	658	233	8.2	7J	340/A/A
	225/55R17	101V	680	233	8.2	7J	340/A/A
	225/55ZR17	101W	680	233	8.2	7J	340/A/A
	235/45ZR17	97W	644	236	8.2	8J	340/A/A
	235/45ZR17	97Y	644	236	8.2	8J	340/A/A
	235/55ZR17	99W	690	245	8.2	7 1/2J	340/A/A
	245/40ZR17	95Y	628	248	8.2	8 1/2J	340/A/A
	245/45ZR17	99Y	652	243	8.2	8J	340/A/A
18	215/35ZR18	84Y	607	218	8.0	7 1/2J	340/A/A
	225/40ZR18	92W	637	230	8.2	8J	340/A/A
	225/40ZR18	92Y	637	230	8.2	8J	340/A/A
	225/45ZR18	95W	659	225	8.2	7 1/2J	340/A/A
	225/45ZR18	95Y	659	225	8.2	7 1/2J	340/A/A

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
18	235/40ZR18	95Y	645	241	8.2	8 1/2J	340/A/A
	245/40ZR18	97Y	653	248	8.2	8 1/2J	340/A/A
	245/45ZR18	100W	677	243	8.2	8J	340/A/A
	245/45ZR18	100Y	677	243	8.2	8J	340/A/A
	255/35ZR18	94W	635	260	8.2	9J	340/A/A
	255/35ZR18	94Y	635	260	8.2	9J	340/A/A
19	235/35ZR19	91W	647	241	8.2	8 1/2J	340/A/A
	235/35ZR19	91Y	647	241	8.2	8 1/2J	340/A/A
	245/40ZR19	98W	679	248	8.2	8 1/2J	340/A/A
	245/45ZR19	98W	703	243	8.2	8J	340/A/A
	255/35ZR19	96Y	661	260	8.2	9J	340/A/A
20	245/35ZR20	95W	680	248	8.2	8 1/2J	340/A/A
	245/35ZR20	95Y	680	248	8.2	8 1/2J	340/A/A
	245/45ZR20	103W	728	243	8.2	8J	340/A/A
	255/35ZR20	97W	686	260	8.2	9J	340/A/A
	255/35ZR20	97Y	686	260	8.2	9J	340/A/A

ULTRA HIGH PERFORMANCE TIRE

ROVELO
TIRE



ULTRA HIGH PERFORMANCE TIRE

SPORT A1



Asymmetrical Tread Pattern
Provides excellent cornering stability while maintaining superior wet traction.



Groove Design
Efficiently drains water for safer driving on wet roads.



Shoulder Groove Design
Wave-like design on the shoulder helps reduce noise emissions and increases cornering capabilities.

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
15	195/45R15	78V	557	195	8.0	6 1/2J	340/A/A
	195/50R15	82V	577	201	8.0	6J	340/A/A
	195/55R15	85V	595	201	8.0	6J	340/A/A
16	195/45R16	84V	582	195	8.0	6 1/2J	340/A/A
	195/50R16	88V	602	201	8.0	6J	340/A/A
	205/45ZR16	87W	590	206	8.0	7J	340/A/A
	205/50R16	87V	612	214	8.0	6 1/2J	340/A/A
	205/55R16	91W	632	214	8.0	6 1/2J	340/A/A
	215/55ZR16	97W	642	226	8.2	7J	340/A/A
	225/55ZR16	99W	654	233	8.2	7J	340/A/A

ULTRA HIGH PERFORMANCE TIRE



	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
16	195/45R17	85V	608	195	8.0	6 1/2J	340/A/A
	205/40ZR17	84W	596	212	8.0	7 1/2J	340/A/A
	205/45ZR17	88W	616	206	8.0	7J	340/A/A
	205/50ZR17	93W	638	214	8.0	6 1/2J	340/A/A
	215/40ZR17	87W	604	218	8.0	7 1/2J	340/A/A
17	215/45ZR17	91W	626	213	8.2	7J	340/A/A
	215/50R17	95V	648	226	8.2	7J	340/A/A
	215/55ZR17	98W	668	226	8.2	7J	340/A/A
	225/45ZR17	94W	634	225	8.2	7 1/2J	340/A/A
	225/50ZR17	98W	658	233	8.2	7J	340/A/A
	225/55R17	101V	680	233	8.2	7J	340/A/A
	235/45ZR17	97W	644	236	8.2	8J	340/A/A
	235/50ZR17	96W	668	245	8.2	7 1/2J	340/A/A
	235/55ZR17	103W	690	245	8.2	7 1/2J	340/A/A
	245/40ZR17	95W	628	240	8.2	8 1/2J	340/A/A
	245/45ZR17	99W	652	243	8.2	8J	340/A/A
	215/40ZR18	89W	629	218	8.0	7 1/2J	340/A/A
	225/40ZR18	92W	637	230	8.2	8J	340/A/A
	225/45ZR18	95W	659	225	8.2	7 1/2J	340/A/A
	225/50ZR18	95W	683	233	8.2	7J	340/A/A
	235/40ZR18	95W	645	241	8.2	8 1/2J	340/A/A
	235/45R18	98V	669	236	8.2	8J	340/A/A
	235/50ZR18	97W	693	245	8.2	7 1/2J	340/A/A
	245/40ZR18	97Y	653	248	8.2	8 1/2J	340/A/A
	245/45ZR18	100W	677	243	8.2	8J	340/A/A
18	245/50ZR18	104Y	703	253	8.2	7 1/2J	340/A/A
	255/35ZR18	94W	635	260	8.2	9J	340/A/A
	255/45ZR18	103W	687	255	8.5	8 1/2J	340/A/A
	265/35ZR18	97Y	643	271	8.2	9 1/2J	340/A/A

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
19	225/35ZR19	88W	641	230	8.2	8J	340/A/A
	225/40ZR19	93Y	663	230	8.2	8J	340/A/A
	235/35ZR19	91W	647	241	8.2	8 1/2J	340/A/A
	235/40R19	96V	671	241	8.2	8 1/2J	340/A/A
	245/35ZR19	93W	655	248	8.2	8 1/2J	340/A/A
	245/40ZR19	98Y	679	248	8.2	8 1/2J	340/A/A
	245/45ZR19	98W	703	243	8.2	8J	340/A/A
	255/35ZR19	96W	661	260	8.2	9J	340/A/A
	255/40R19	100W	687	260	8.2	9J	340/A/A
	255/50R19	107W	739	265	8.5	8J	340/A/A
	265/30ZR19	93Y	643	271	8.2	9 1/2J	340/A/A
	275/30ZR19	96Y	649	278	8.2	9 1/2J	340/A/A
	275/35ZR19	100W	675	278	8.2	9 1/2J	340/A/A
	275/40ZR19	105Y	703	278	8.5	9 1/2J	340/A/A
	275/45ZR19	108Y	731	273	8.5	9J	340/A/A
20	225/30ZR20	85Y	644	230	8.2	8J	340/A/A
	225/35ZR20	90W	666	230	8.2	8J	340/A/A
	245/30ZR20	90W	656	248	8.2	8 1/2J	340/A/A
	245/35ZR20	95W	680	248	8.2	8 1/2J	340/A/A
	245/40ZR20	99Y	704	248	8.2	8 1/2J	340/A/A
	245/45ZR20	103W	728	243	8.2	8J	340/A/A
	245/50ZR20	102W	754	253	8.2	7 1/2J	340/A/A
	255/35ZR20	97W	686	260	8.2	9J	340/A/A
	255/40ZR20	97W	712	260	8.2	9J	340/A/A
	255/45ZR20	105W	738	255	8.5	8 1/2J	340/A/A
	275/30ZR20	97W	674	278	8.2	9 1/2J	340/A/A
	275/35ZR20	102W	700	278	8.2	9 1/2J	340/A/A
22	275/40ZR20	106W	728	278	8.5	9 1/2J	340/A/A
	275/45ZR20	110W	756	273	8.2	9J	340/A/A
	245/30ZR22	92W	707	248	8.2	8 1/2J	340/A/A



COMMERCIAL TIRE

RCM-836



Three Channel Zigzag Grooves
Maximizes traction and water drainage in wet conditions.



Multi-Angle Sipe System
Sipes provide superior traction in snow and mud.



Full-Depth Acoustic Channels
Reduces vibrations to maximize passenger comfort.



Extra Wide Shoulders
Minimizes irregular wear and improves high-speed stability.

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
14	165/70R14C	89/87T	588	170	8.5	5J	/
	175/65R14C	90/88T	584	177	8.5	5J	/
15	195/70R15C	104/102R	655	201	9.5	6J	/
	195/70R15C	104/102T	655	201	9.5	6J	/
	205/65R15C	102/100T	647	209	9.5	6J	/
	205/70R15C	106/104R	669	209	9.5	6J	/
	205/70R15C	106/104T	669	209	9.5	6J	/
	215/70R15C	109/107R	683	221	10.0	6 1/2J	/
	215/70R15C	109/107T	683	221	10.0	6 1/2J	/
	225/70R15C	112/110R	697	228	10.0	6 1/2J	/
	225/70R15C	112/110T	697	228	10.0	6 1/2J	/
16	195/60R16C	99/97H	640	201	9.5	6J	/
	195/65R16C	104/102T	660	201	9.5	6J	/
	195/75R16C	107/105Q	698	196	9.5	5 1/2J	/
	195/75R16C	107/105T	698	196	9.5	5 1/2J	/
	205/65R16C	107/105T	672	209	9.5	6J	/
	205/75R16C	110/108T	714	203	9.5	5 1/2J	/
	215/65R16C	109/107R	686	221	9.5	6 1/2J	/
	215/65R16C	109/107T	686	221	9.5	6 1/2J	/
	215/70R16C	108/106T	708	221	10.0	6 1/2J	/
	215/75R16C	113/111R	728	216	10.0	6J	/
	215/75R16C	113/111T	728	216	10.0	6J	/
	225/65R16C	112/110R	698	228	10.0	6 1/2J	/
	225/65R16C	112/110T	698	228	10.0	6 1/2J	/
	235/65R16C	115/113T	712	240	10.0	7J	/

COMMERCIAL TIRE

ROVELO
TIRE

COMMERCIAL TIRE

RCM-X+



Closed Shoulder Design
Enhances handling performance and promotes even wear.



Improved Handling and Lifetime
The closed shoulder design helps to improve overall handling and promote even wear for a longer tread life.



Wet Performance
The sipe design is optimized to improve handling and traction in wet weather conditions for greater overall safety.

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
12	155R12C	88/86N	550	157	8.0	4.50B	/
13	155R13C	90/88N	578	157	8.0	4 1/2J	/
	165R13C	94/93P	596	167	8.0	4 1/2J	/
14	185R14C	102/100Q	650	188	9.0	5 1/2J	/
	195R14C	106/104Q	666	198	9.0	5 1/2J	/
15	195/70R15C	104/102R	655	201	9.0	6J	/
	195/80R15C	108/106S	693	196	9.0	5 1/2J	/
	195R15C	106/104S	690	198	9.0	5 1/2J	/
	225/70R15C	112/110R	697	228	9.5	6 1/2J	/
16	195/75R16C	110/108Q	698	196	9.0	5 1/2J	/
	215/75R16C	116/114R	728	216	9.5	6J	/

ON/OFF ROAD LIGHT TRUCK & SUV TIRE

ROVELO
TIRE



ON/OFF ROAD LIGHT TRUCK
& SUV TIRE

ROAD QUEST HT



Main Groove Design
The main grooves are designed to efficiently expel water and reduce rolling resistance, thus offering greater fuel economy, high-speed stability, and wet traction.



Greater Comfort
Fine sipe design increases driving comfort on asphalt and concrete roads.



Open Shoulder Design
Improves stability and traction when cornering on wet and dry roads.

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
15	205/70R15	96H	669	209	8.8	6J	440/A/A
	235/75R15	105T	733	235	9.0	6 1/2J	500/A/B
16	215/65R16	102H	686	221	8.8	6 1/2J	440/A/A
	215/70R16	100H	708	221	9.0	6 1/2J	500/A/B
	225/70R16	103T	722	228	9.0	6 1/2J	500/A/B
	235/60R16	100H	688	240	8.8	7J	440/A/A
	235/70R16	106T	736	240	9.0	7J	500/A/B
	235/70R16	106H	736	240	9.0	7J	500/A/B
	245/70R16	111T	750	248	9.0	7J	500/A/B
	245/70R16	111H	750	248	9.0	7J	500/A/B
	245/75R16	111T	774	248	9.0	7J	500/A/B
	255/70R16	111T	764	260	9.0	7 1/2J	500/A/B
	265/70R16	112T	778	272	9.0	8J	500/A/B
	265/75R16	116T	804	267	9.0	7 1/2J	500/A/B
17	215/60R17	96H	690	221	8.8	6 1/2J	440/A/A
	225/60R17	99H	702	228	8.8	6 1/2J	440/A/A
	225/65R17	102H	724	228	8.2	6 1/2J	500/A/B
	235/55R17	99V	690	245	8.0	7 1/2J	420/A/A
	235/65R17	108H	738	240	9.0	7J	500/A/B
	245/65R17	111T	750	248	9.0	7J	500/A/B
	245/70R17	110T	776	248	9.0	7J	500/A/A
	265/65R17	112T	776	272	9.0	8J	500/A/B
	265/70R17	115T	804	272	9.0	8J	500/A/B
	225/55R18	98V	705	233	8.0	7J	420/A/A
18	235/55R18	100V	715	245	8.2	7 1/2J	420/A/A
	235/60R18	103V	739	240	9.0	7J	420/A/A
	245/60R18	105H	751	248	9.0	7J	500/A/A
	255/55R18	109Y	737	265	8.0	8J	420/A/A
	255/65R18	111T	789	260	9.0	7 1/2J	500/A/B
	255/70R18	113T	815	260	9.0	7 1/2J	500/A/B
	265/60R18	110T	775	272	9.0	8J	500/A/A
	265/65R18	114T	801	272	9.0	8J	500/A/B
	275/65R18	116T	815	279	9.0	8J	500/A/B
	255/50R19	107V	739	265	8.0	8J	420/A/A
20	265/50R20	107V	774	277	9.0	8 1/2J	420/A/A
	275/55R20	117T	810	284	9.0	8 1/2J	500/A/B
	275/60R20	115T	838	279	9.0	8J	500/A/B

ON/OFF ROAD LIGHT TRUCK & SUV TIRE

ROVELO
TIRE



ON/OFF ROAD LIGHT TRUCK
& SUV TIRE

MONTARE
HT RV08



Handling
The main channel groove design improves grip and driving stability for greater maneuverability and braking performance on various road conditions.



Comfort
Unique pattern design ensures good vibration and noise absorption to increase driving comfort.

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
15	215/75R15	100S	703	216	8.7	6J	460/A/A
	235/75R15	105T	733	235	8.7	6 1/2J	460/A/A
16	235/70R16	106H	736	240	8.7	7J	460/A/A
17	215/60R17	96H	690	221	8.2	6 1/2J	460/A/A
	225/60R17	99H	702	228	8.2	6 1/2J	460/A/A
	225/65R17	102H	724	228	8.2	6 1/2J	460/A/A
	235/55R17	103V	690	245	8.5	7 1/2J	600/A/A
	235/65R17	108H	738	240	8.7	7J	460/A/A
	255/60R17	106H	738	260	9.0	7 1/2J	600/A/A
	255/65R17	111H	760	260	9.0	7 1/2J	600/A/A
18	215/55R18	95V	693	226	8.5	7J	600/A/A
	225/55R18	102W	705	233	8.5	7J	600/A/A
	225/60R18	100H	727	228	8.5	6 1/2J	600/A/A
	235/50R18	97V	693	245	8.5	7 1/2J	600/A/A
	235/50RF18	97V	693	245	8.5	7 1/2J	600/A/A
	235/55R18	104W	715	245	8.5	7 1/2J	600/A/A
	235/60R18	103V	739	240	8.2	7J	460/A/A
	255/55R18	109V	737	265	9.0	8J	600/A/A
	255/55RF18	105H	737	265	9.0	8J	600/A/A
	235/50R19	103W	719	245	8.5	7 1/2J	600/A/A
	235/55R19	101W	741	245	8.5	7 1/2J	600/A/A
19	245/55R19	103V	753	253	9.0	7 1/2J	600/A/A
	255/50R19	103V	739	265	9.0	8J	600/A/A
	255/50RF19	103V	739	265	9.0	8J	600/A/A
	255/55R19	105V	761	265	9.0	8J	600/A/A



ON/OFF ROAD LIGHT TRUCK
& SUV TIRE

ROAD
QUEST AT



Strong Sidewall
Widened running surface ensures superior traction performance on all types of road surfaces.



	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
15	31×10.50R15LT	109S	775	268	13.0	8 1/2J	/
16	245/70R16	107S	750	248	10.5	7J	500/A/B
	265/70R16	112T	778	272	10.5	8J	500/A/B
17	265/65R17	112S	776	272	10.5	8J	500/A/B
18	265/60R18	110T	775	272	10.5	8J	500/A/B
20	265/50R20	111T	774	277	10.5	8 1/2J	500/A/B
	275/55R20	117T	810	284	10.5	8 1/2J	500/A/B



- 1 Shoulder Design**
Widened shoulder grooves and nodules within the tread grooves effectively eject mud, sand, gravel, and other debris to improve grip.
- 2 Climbing Performance**
Tread blocks maintain a staggered bite to improve traction and climbing ability.
- 3 Traction Performance:**
Lengthened tread shoulder employs a multi-layered protruding design that improves strength and prevents damage to the carcass, allowing for a safe off-roading experience.

ON/OFF ROAD LIGHT TRUCK & SUV TIRE

ROVELO
TIRE

ON/OFF ROAD LIGHT TRUCK
& SUV TIRE

RIDGETRAK AT



The NEW RIDGETRAK AT 3PMS is designed to deliver superior traction for SUVs, pickups and vans both off and on the road. The NEW RIDGETRAK AT 3PMS provides the same exceptional handling, on-and-off-road stability and quiet, comfortable ride as the original RIDGETRAK AT with the added bonus that it is winter tire tested and approved!



Versatile Applications

The aggressive open shoulder design efficiently expels snow, water, slush, and mud for optimum traction on all-terrain conditions.



Grip and Traction

The serrated tread block design provides excellent grip and traction on various road conditions.



Comfort

Solid center rib and read block sipes offer greater handling and comfort.

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
15	235/75R15	109S	733	235	10.5	6 1/2J	500/A/B
	30x9.50R15LT	104S	750	240	13.0	7 1/2J	/
	31x10.50R15LT	109S	775	268	13.0	8 1/2J	/
	LT235/75R15	104/101R	733	235	13.0	6 1/2J	/
16	235/70R16	106S	736	240	10.5	7J	500/A/B
	245/75R16	111S	774	248	10.5	7J	500/A/B
	255/70R16	111T	764	260	10.5	7 1/2J	500/A/A
	265/70R16	112T	778	272	10.5	8J	500/A/B
	265/75R16	116S	804	267	10.5	7 1/2J	500/A/B
	LT225/75R16	115/112R	744	223	13.0	6J	/
	LT235/85R16	120/116R	806	235	13.0	6 1/2J	/
	LT245/75R16	120/116S	774	248	13.0	7J	/
	LT265/75R16	123/120S	804	267	13.0	7 1/2J	/
	LT285/75R16	126/123R	834	286	13.0	8J	/
17	235/65R17	104S	738	240	10.5	7J	500/A/B
	245/65R17	107S	750	248	10.5	7J	500/A/B
	245/70R17	110T	776	248	10.5	7J	500/A/B
	265/65R17	112S	776	272	10.5	8J	500/A/B
	265/70R17	115S	804	272	10.5	8J	500/A/B
	285/65R17	116H	802	292	10.5	8 1/2J	500/A/A
	LT235/80R17	120/117R	808	235	13.0	6 1/2J	/
	LT245/70R17	119/116S	776	248	13.0	7J	/
	LT245/75R17	121/118S	800	248	13.0	7J	/
	LT265/70R17	121/118S	804	272	13.0	8J	/
	LT285/70R17	121/118R	832	292	13.0	8 1/2J	/
	235/60R18	107T	739	240	10.5	7J	500/A/A
18	265/65R18	114T	801	272	10.5	8J	500/A/B
	275/65R18	116T	815	279	10.5	8J	500/A/B
	LT265/70R18	124/121R	829	272	13.0	8J	/
	LT275/65R18	123/120R	815	279	13.0	8J	/
	LT275/70R18	125/122R	843	279	13.0	8J	/
	LT285/60R18	118/115S	799	292	13.0	8 1/2J	/
19 20	255/55R19	111H	763	265	10.5	8J	500/A/A
	265/50R20	111T	774	277	10.5	8 1/2J	500/A/B
	275/55R20	117T	810	284	10.5	8 1/2J	500/A/B
	275/60R20	115T	838	279	10.5	8J	500/A/B
	LT265/60R20	121/118R	826	272	13.0	8J	/
	LT275/55R20	120/117S	810	284	13.0	8 1/2J	/
	LT275/60R20	123/120R	838	279	13.0	8J	/
	LT275/65R20	126/123R	866	279	13.0	8J	/
	LT305/55R20	121/118R	844	316	13.0	9 1/2J	/
	LT325/60R20	126/123R	898	331	13.0	9 1/2J	/

ON/OFF ROAD LIGHT TRUCK & SUV TIRE



ON/OFF ROAD LIGHT TRUCK
& SUV TIRE

ROADQUEST
RMT810

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
15	31×10.50R15LT	109Q	775	268	15.3	8 1/2J	/
16	LT245/75R16	120/116Q	774	248	15.3	7J	/
	LT265/70R16	121/118Q	773	272	15.3	8J	/
	LT265/75R16	123/120Q	804	267	15.3	7 1/2J	/
17	LT265/65R17	120/117Q	776	272	15.3	8J	/
18	LT265/65R18	117/114Q	801	272	15.3	8J	/



OFF-ROAD PERFORMANCE
The z-shaped grooves between blocks is designed to enhance off-road driving capabilities by improving grip and climbing ability.



OFF-ROAD GRIP
Deepened grooves allows mud to easily be discharged from the tread at both high and low speeds. The design also offers better grip when traveling on rocky or rugged roads.



OFF-ROAD STABILITY
Large blocks on the shoulder vastly enhance handling on muddy and rock roads.



OFF-ROAD DURABILITY
The shield pattern which extends from the sidewall protects the sidewall from abrasions and increase traction on mud roads. The carcass is designed with three layers of polyester fabric to make it rugged and resistant to strong impacts.

FOUR SEASONS TIRE



FOUR SEASONS TIRE

ALL WEATHER R4S



Safety

New sipe designs greatly improve grip and braking responsiveness.

Driving Comfort

Tread design is optimized for a comfortable drive year-round.

Overall Performance

New groove design pattern greatly improves handling and stability.



Inner Pattern

Improved handling in snow and rain

Outer Pattern

Handling performance and stability in dry conditions

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
13	1155/70R13	75T	548	157	8.0	4.50B	300/A/A
	155/80R13	79T	578	157	8.0	4.50B	300/A/A
14	155/65R14	75T	558	157	8.0	4 1/2J	300/A/A
	165/65R14	79T	570	170	8.0	5J	300/A/A
	165/70R14	85T	588	170	8.0	5J	300/A/A
	175/65R14	82T	584	177	8.5	5J	300/A/A
	175/70R14	88T	602	177	8.5	5J	300/A/A
	185/60R14	82T	578	189	8.5	5 1/2J	300/A/A
	185/65R14	86T	596	189	8.5	5 1/2J	300/A/A
15	175/65R15	84H	609	177	8.5	5J	300/A/A
	185/55R15	82H	585	194	8.5	6J	300/A/A
	185/60R15	88H	603	189	8.5	5 1/2J	300/A/A
	185/65R15	88H	621	189	8.5	5 1/2J	300/A/A
	195/50R15	82H	577	201	8.5	6J	300/A/A
	195/55R15	85H	595	201	8.5	6J	300/A/A
	195/60R15	88H	615	201	8.5	6J	300/A/A
	195/65R15	91H	635	201	8.5	6J	300/A/A
	195/55R16	87V	620	201	8.5	6J	300/A/A
16	205/45R16	87V	590	206	8.5	7J	300/A/A
	205/55R16	94V	632	214	8.5	6 1/2J	300/A/A
	205/60R16	96V	652	209	8.5	6J	300/A/A
	215/55R16	97V	642	226	8.5	7J	300/A/A
	215/60R16	99V	664	221	8.5	6 1/2J	300/A/A
	215/60R16	99V	664	221	8.5	6 1/2J	300/A/A
17	205/50R17	93V	638	214	8.5	6 1/2J	300/A/A
	225/45R17	94V	634	225	8.5	7 1/2J	300/A/A
	225/50R17	98V	658	233	8.5	7J	300/A/A

STUDDABLE WINTER TIRE



STUDDABLE WINTER TIRE

RWS-677


	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
14	175/65R14	82T	584	177	10.0	5J	/
	175/70R14	84T	602	177	10.0	5J	/
	185/60R14	82T	578	189	10.0	5 1/2J	/
	185/65R14	86T	596	189	10.0	5 1/2J	/
	185/70R14	86T	616	189	10.0	5 1/2J	/



Winter Performance
The tread pattern is designed to improve traction on snow and ice while also reducing noise emissions.



Winter Safety
Tread grooves effectively channel slush, snow, and water out of the tire for improved traction and braking performance.



Winter Grip
The tire stud locations and quantity are optimized to provide effective grip in winter weather conditions.

STUDDABLE WINTER TIRE

ROVELO
TIRE



	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
15	175/65R15	84T	609	177	10.0	5J	/
	185/55R15	82T	585	194	10.0	6J	/
	185/60R15	84T	603	189	10.0	5 1/2J	/
	185/65R15	88T	621	189	10.0	5 1/2J	/
	195/60R15	88T	615	201	10.0	6J	/
	195/65R15	91T	635	201	10.0	6J	/
	205/65R15	94T	647	209	10.0	6J	/
	215/70R15	98T	683	221	10.0	6 1/2J	/
	235/75R15	105S	733	235	11.0	6 1/2J	/
16	205/55R16	91T	632	214	10.0	6 1/2J	/
	205/60R16	92T	652	209	10.0	6J	/
	215/55R16	97H	642	226	10.0	7J	/
	215/60R16	95T	664	221	10.0	6 1/2J	/
	215/65R16	98T	686	221	10.0	6 1/2J	/
	215/70R16	100S	708	221	11.0	6 1/2J	/
	225/60R16	98T	676	228	10.0	6 1/2J	/
	225/65R16	100T	698	228	10.0	6 1/2J	/
	225/70R16	103S	722	228	11.0	6 1/2J	/
	235/70R16	106S	736	240	11.0	7J	/
	245/75R16	111S	774	248	11.0	7J	/

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
17	215/60R17	96T	690	221	10.0	6 1/2J	/
	225/45R17	94H	634	225	10.0	7 1/2J	/
	225/50R17	98H	658	233	10.0	7J	/
	225/60R17	99T	702	228	10.0	6 1/2J	/
	225/65R17	102S	724	228	11.0	6 1/2J	/
	235/60R17	102H	714	240	10.0	7J	/
	235/65R17	104S	738	240	11.0	7J	/
	265/65R17	112T	776	272	11.2	8J	/
	265/70R17	115S	804	272	11.0	8J	/
18	225/40R18	92H	637	230	10.0	8J	/
	225/55R18	98T	705	233	10.0	7J	/
	225/60R18	100T	727	228	10.0	6 1/2J	/
	235/60R18	107T	739	240	10.0	7J	/
	235/65R18	106T	763	240	11.2	7J	/
	245/60R18	105T	751	248	11.2	7J	/
	255/55R18	105H	737	265	10.0	8J	/
	265/60R18	110T	775	272	11.2	8J	/
	275/65R18	116S	815	279	11.2	8J	/
19	235/55R19	101H	741	245	10.0	7 1/2J	/
	255/50R19	107H	739	265	10.0	8J	/
20	275/40R20	106H	728	278	11.2	9 1/2J	/

STUDLESS WINTER TIRE

ROVELO
TIRE



STUDLESS WINTER TIRE

RWT-768



Winter Safety
Multi-angle tread and shoulder grooves divert slush and snow out of the tire for improved overall handling and safety.



Improved Ground Contact
The zigzag center rib improves the tire's ground contact area allowing for better braking performance.



Winter Grip
The high-density of angled sipes are designed to provide maximum traction during acceleration, braking, and turning.

	SIZE	L.I./S.R.	O.D.mm	S.W. mm	T.D.mm	R.W.inch	UTQG
13	155/70R13	75T	548	157	8.0	4.50B	/
	155/80R13	79T	578	157	8.0	4.50B	/
	165/70R13	79T	562	170	8.0	5.00B	/
	165/70R13	83T	562	170	8.0	5.00B	/
	175/70R13	82T	576	177	8.7	5.00B	/
14	155/65R14	75T	558	157	8.0	4 1/2J	/
	165/70R14	81T	588	170	8.0	5J	/
	175/65R14	82T	584	177	8.7	5J	/
	175/70R14	84T	602	177	8.7	5J	/
	185/60R14	82T	578	189	8.7	5 1/2J	/
	185/65R14	86T	596	189	8.7	5 1/2J	/
	175/65R15	84T	609	177	8.7	5J	/
15	185/55R15	82H	585	194	8.7	6J	/
	185/60R15	84T	603	189	8.7	5 1/2J	/
	185/60R15	88T	603	189	8.7	5 1/2J	/
	185/65R15	88T	621	189	8.7	5 1/2J	/
	195/55R15	85H	595	201	8.7	6J	/
	195/60R15	88H	615	201	8.7	6J	/
	195/65R15	91T	635	201	8.7	6J	/
	195/65R15	95T	635	201	8.7	6J	/
	205/65R15	94T	647	209	9.1	6J	/
	195/55R16	87H	620	201	8.7	6J	/
16	205/55R16	91T	632	214	9.1	6 1/2J	/
	205/55R16	91H	632	214	9.1	6 1/2J	/
	205/55R16	94H	632	214	9.1	6 1/2J	/
	205/60R16	92H	652	209	9.1	6J	/
	205/60R16	96H	652	209	9.1	6J	/
	215/55R16	93H	642	226	9.1	7J	/
	215/60R16	95H	664	221	9.1	6 1/2J	/
	215/65R16	98H	686	221	9.1	6 1/2J	/
	225/55R16	99H	654	233	9.1	7J	/
	225/60R16	98H	676	228	9.1	6 1/2J	/
	225/45R17	94H	634	225	9.1	7 1/2J	/
17	225/50R17	98H	658	233	9.1	7J	/
	225/55R17	97H	680	233	9.1	7J	/

NOTES

[illegible]

NOTES

[illegible]